

TOWN OF ACTON

HAZARDOUS MATERIALS CONTROL BYLAW

April 1, 2003

Due - \$130

Category 4, 9, 12

Acton Sand & Gravel
960 Main Street
Acton, MA 01720

HAZARDOUS MATERIALS CONTROL PERMIT RENEWAL APPLICATION

Categories

- | | |
|---|--|
| 1. Hazardous Waste Generator (\$40) | 2. Small Hazardous Waste Generator (\$20) |
| 3. Hazardous Materials Generator (\$40) | 4. Hazardous Materials User (\$20) |
| 5. Discharge Permit (\$75) | 6. Remediation Permit (\$75) |
| 7. Hazardous Waste User (\$40) | 8. Haz. Mat. Storer Large Industry (\$150) |
| 9. Haz. Mat. Storer Small Industry | 10. Haz. Mat. Storer Large Retail |
| 11. Haz. Mat. Storer Small Retail | 12. Haz. Waste Storer Industry |
| 13. Haz. Waste Storer Retail | |

Provide the following information under the authority of the General Laws of the Commonwealth of Massachusetts, Chapter 94, Section 305A, and Chapter 3, Section 5.

ESTABLISHMENT NAME:

ESTABLISHMENT ADDRESS:

ESTABLISHMENT TELEPHONE:

OWNERS/CORPORATE OFFICERS:

ADDRESS:

TELEPHONE:

ON-SITE MANAGER:

OPERATING SCHEDULE:

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid all state taxes required under law.

Signature of Owner/Applicant

S.S.I or F.I.N. Number

Date

Please remit to Acton Board of Health, 472 Main Street, Acton, MA 01720
No Later Than April 25, 2003.

pdct#
7270

Issued 5/1/03

\$130
Expires 5/1/04

**TOWN OF ACTON
PERMIT
HAZARDOUS MATERIALS CONTROL BYLAW
ARTICLE 16 - 1991 ANNUAL TOWN MEETING**

Acton Sand & Gravel
of 960 Main Street, Acton, MA 01720

Is hereby granted a permit to store and use Hazardous Materials at 960 Main Street, Acton, MA. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: 4, 9, 12*

*See below explanation of permit categories

HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES

<u>Category</u>	<u>Initial</u>	<u>Renewal</u>
1. Large Hazardous Waste Generator	\$100	\$40
2. Small Hazardous Waste Generator	\$30	\$20
3. Hazardous Materials Generator	\$100	\$40
4. Hazardous Materials User	\$30	\$20
5. Remediation Discharge Permit	\$400	\$75
6. Remediation Permit	\$400	\$75
7. Hazardous Waste User	\$100	\$40
8. Hazardous Materials Storer Large Industry	\$350	\$150
9. Hazardous Materials Storer Small Industry	\$250	\$90
10. Hazardous Materials Storer Large Retail	\$300	\$100
11. Hazardous Materials Storer Small Retail	\$200	\$75
14. Hazardous Waste Storer Large Industry	\$100	\$40
12. Hazardous Waste Storer Small Industry	\$30	\$20
13. Hazardous Waste Storer Retail	\$30	\$20

HAZARDOUS MATERIALS CONTROL PERMIT

**List of Conditions:
Acton Sand & Gravel
960 Main Street
Acton, MA 01720**

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
9. Floor cleaning procedures and bathroom sanitation products shall use only nontoxic and biodegradable cleaning compounds.
10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.

15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
 16. Within thirty (30) days after issuance of this permit and prior to the next pumping of the septic tank, a sample shall be taken from the liquid layer of the septic tank and analyzed for volatile organic compounds by EPA Method 624. A sample shall be taken each time prior to pumping the septic tank. Each sample shall be analyzed by a DEP certified testing lab. The results of all tests shall be submitted to the Board of Health within thirty (30) days after testing. The septic tank shall be tested annually unless otherwise requested by the Board of Health.
 18. D.E.P. Generator Registration shall be provided annually upon renewal of the Hazardous Materials Storage Permit.
 21. Gas cylinders shall not be rolled, even for short distances. They shall be moved by a suitable hand truck, in accordance with an OSHA standard that applies.
 25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
 26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.
 29. All exterior above ground storage tank areas shall have secondary containment, as well as be protected from the elements and have restricted access from the public.
- Petroleum products and all hazardous materials should not be stored on bare soil
 - No changing of automotive fluids on bare soil.